

Release date: 4/19/2022 Revision Date/No: 3/17/2023 / Rev.1

MSDS No: SDS-067

## MİTREAPEL CYANOACRYLATE ADHESIVE

## SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

## **1.1 Product Identifier**

Trade Name: MitreApel Cyanoacrylate Adhesive

UFI No: CJXU-26S3-7P1W-EPXG

## 1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Mixture Uses: Adhesive

## 1.3 Details of the Supplier of the Safety Data Sheet

Beta Kimya Sanayi ve Ticaret A.Ş. BOSB Aydınlı Mah. 1 No.lu Cad. No:11 Tuzla - Istanbul/TURKEY- 0216 593 90 97(Tel.) - 0216 593 90 98 (Fax) www.betakimya.com.tr – msds@betakimya.com.tr

## **1.4 Emergency Telephone Number**

| Emergency Phone Number | : 114 National Poison Information Center |
|------------------------|--|
| Working Hours          | : Weekdays 08:00-18:00 (Turkey Time)     |

## **SECTION 2. HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance/mixture

The mixture meets the criteria for classification of detrimental in accordance with Regulation (EC) No. 1272/2008.

## 2.2 Hazards Identification

| Hazard Pictograms:       | GHS  |   |  |
|--------------------------|--|---|--|
| Signal Words:            | Warning  |   |  |
| Hazard Statements        | H319<br>H335<br>H315                                 | Causes serious eye irritation.<br>May cause respiratory irritation.<br>Causes skin irritation.  |  |
| Precautionary Statements | P 261<br>P280<br>P302+P352<br>P332+P313<br>P337+P313 | Avoid breathing dust/fume/gas/mist/vapours/spray.<br>Wear protective gloves/ clothing/eye protection/face protection.<br>IF ON SKIN: Wash with plenty of soap and water.<br>If skin irritation occurs: Get medical advice/attention.<br>If eye irritation persists: Get medical advice/attention. |  |



Release date: 4/19/2022 Revision Date/No: 3/17/2023 /

MSDS No: SDS-067

# MITREAPEL CYANOACRYLATE ADHESIVE

|  | P405<br>P501 |   |  |
|--|--------------|---|--|
| Additional Information   | EUH202       | Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. |  |
| For full text of Hazard- and EU Hazard-statements: see SECTION 16. |              |   |  |

## 2.3 Other Hazards

Avoid to contact acrylate from people with the possibility of allergic reaction.

## **SECTION 3. COMPOSITION ON INGREDIENTS**

#### 3.2 Mixtures

## General chemical description:

**Rapid Adhesive** 

## Base substances of preparation:

Cyanoacrylate,

## Declaration of the ingredients according to CLP (EC) No 1272/2008:

| CAS No.                            | EC No.    | Concentration | Classification   |
|------------------------------------|-----------|---------------|--|
| Ethyl 2-Cyanoacrylate<br>7085-85-0 | 230-391-5 | %80 - %100    | Eye Irr. 2;H319<br>STOT Single Exp. 3;H335 (C ≥ %10)<br>Skin Irr. 2:H315 |

See the Section 16 for the full text of the H- and P- Statements.

## SECTION 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

**Skin Contact:** In the event of contact body part, should wash with plenty of warm water and soap on contact surface. In case of contact with clothes or shoes, it has to be removed on skin before adherend activity had been finished. Do not force on the surface for taking adherend, it can be cause of adherend come with skin part. If adhesive amount is too much, this situation will give rise to serious burned on skin. Apply to health care facility.

Inhalation: Remove affected person to fresh air, and if still feeling unwell seek medical attention.

**Eye Contact:** Immediately flush with plenty of water for at least 15 minutes. If eyelids are bonded closed, do not force eye open. Get medical attention.



MSDS No: SDS-067

# According to Regulation (EC) No.1272/2008 and 2020/878/(CLP)

# ADHESIVE

Ingestion: In case of swallow, gargle and do not retch. Apply to health care facility.

## **First Aider Protection Equipment**

The first aider should use personal protective equipment.

## 4.2 Most important symptoms and effects, both acute and delayed

Serious eye irritation. Serious rash and swelling on skin. Irritation nose and troat.

## 4.3 Indication of any immediate medical attention and special treatment needed

See the Section 8 .

## **SECTION 5. FIRE-FIGHTING MEASURES**

## 5.1 Extinguishing Media

Suitable extinguishing media: All common extinguishing agents are suitable. Foam, carbon dioxide, dry powder. Extinguishing media which must not be used for safety reasons: High pressure water jet.

## 5.2 Special Hazards Arising From the Substance or Mixture

In case of fire toxic gases can be released. Don't inhale the combustion products.

## **5.3 Advice For Firefighters**

Use personal protective fireproof clothing and respirator face mask

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal Precautions, Protective Equipment and Emergency Procedures

## For Non-Emergency Personnel

Use personal protective equipment. Provide ventilation. Keep away from igniting sources. Keep away from naked flame or any incandescent material.

## For Emergency Responders

Wear personal protective fireproof clothing.

## **6.2 Environmental Precautions**

Do not empty into drains or water. Disposal of the chemicals must be made according to official regulations.

## 6.3 Methods and Material For Containment and Cleaning Up

Flood wih water to complete polymerization and scrape off the floor. Dispose of contaminated material as waste according to Section 13.



Release date: 4/19/2022 Revision Date/No: 3/17/2023 / Rev.1

MSDS No: SDS-067

# According to Regulation (EC) No.1272/2008 and 2020/878/(CLP)

# **ADHESIVE**

## 6.4 Reference to Other Sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. HANDLING AND STORAGE**

## 7.1 Precautions For Safe Handling

Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mists.

Hygiene precautions:

Do not drink, eat and smoke in the working area. Wash hands before break period and after shift,

## 7.2 Conditions For Safe Storage, Including Any Incompatibilities

Keep in a cool, well-ventilated area in original containerAway from heat, sparks and open flame.Keep containers closed safely and check periodically in case leakage and spilling.Protect containers from physical damage.

#### Keep only in the original container

## 7.3 Specific end use(s)

Instant adhesive

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## 8.1 Control Parameters

Working with chemical materials and safety measures depend to regulation. According to EH 40/2009 Occupational Exposure limit WELs :

| EC No.    | CAS No.   | Component             | TWA | STEL                  |
|-----------|-----------|-----------------------|-----|-----------------------|
| 230-391-5 | 7085-85-0 | Ethyl-2-Cyanoacrylate | -   | 1,5 mg/m <sup>3</sup> |

## 8.2 Exposure Controls

Appropriate Engineering Controls:

Ensure good ventilation. Apply the all common precautions while working with chemicals.

Respiratory protection:

In case of dust formation, we recommend wearing of appropriate respiratory protection equipment with particle filter P. This recommendation should be matched to local conditions.



272/2008 and 2020/878/(CLP) Revision D

MITREAPEL CYANOACRYLATE ADHESIVE Release date: 4/19/2022

Revision Date/No: 3/17/2023 / Rev.1

MSDS No: SDS-067

## Hand protection:

Wear refractive gloves while working with the hot melt.

## Eye protection:

Wear protective goggles

## Skin protection:

Wear protective equipment.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1 Information On Basic Physical And Chemical Properties

| Appearance                              | : Liquid  |
|---|---|
| Color                                   | : Colorless   |
| Odor                                    | : Irritating  |
| рН                                      | : Not Applicable  |
| Melting/ Freezing Point                 | : Not Applicable  |
| Initial Boiling Point                   | :150°C  |
| Flash Point                             | :85°C   |
| Evaporation Rate                        | : Not Applicable  |
| Flammability of Solids and Gases        | : Not Applicable  |
| Explosive Limit                         | : Not Applicable  |
| Vapour Density                          | : Not Applicable  |
| Vapour Pressure                         | : 0,293 mmHg  |
| Density 25°C                            | : 1,1 ±0,03 g/cm <sup>3</sup>                               |
| Solubility                              | : Insoluble in water reacts with water. Soluble in acetone. |
| Partition Coefficient (n-octanol/water) | : Not Applicable  |
| Auto-ignition temperature               | : Not Applicable  |
| Decomposition Temperature               | : Not Applicable  |
| Viscosity                               | : 1.200-1.500 mPa.s (Brookfield; @25°C; 50 sp, 50 rpm)      |
| Explosive Properties                    | : Not Applicable  |
| Oxidizing Properties                    | : Not Applicable  |

## **SECTION 10. STABILITY AND REACTIVITY**

## **10.1 Reactivity**

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

## 10.2 Chemical stability



Release date: 4/19/2022 Revision Date/No: 3/17/2023 /

Nev.1

MSDS No: SDS-067

MITREAPEL CYANOACRYLATE ADHESIVE

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

See section reactivity

## 10.4 Conditions to avoid

None if used for intended purpose.

#### **10.5 Incompatible materials**

Water, amines, alkalies and alcohols.

## **10.6 Hazardous decomposition products**

At higher temperatures carbon oxides may be released.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## **11.1 Informations of Toxicological Effects**

Categorized with 1272/2008/EC Based on available data (Chapter 3 Chemical list), the classification criteria are indicated below:

## Sensitization:

An allergic reaction cannot be excluded after repeated skin contact. Avoid to contact acrilate materials, when contact to material, if carry risk of allergic reaction.

## **Corozion/Irritation:**

Inhalation: Causes nose and throat irritation

Skin Contact: Causes serious irritation. (500µL/24 Hours- rabbit)

Eye Contact: Causes serious irritation. (500µL/24 Hours- rabbit)

## **Occupational Exposure Limit Values:**

| EC No.    | CAS No.   | Component             | Limiting Values               |
|-----------|-----------|-----------------------|-------------------------------|
| 230-391-5 | 7085-85-0 | Ethyl-2-Cyanoacrylate | 0,3 ppm; STEL<br>0,2 ppm; TWA |

Acute Toxicology:

| EC No.    | CAS No.   | Component             | Toxicity                          |
|-----------|-----------|-----------------------|-----------------------------------|
| 230-391-5 | 7085-85-0 | Ethyl-2-Cyanoacrylate | LC50 (rat) : >5000 mg/kg (inhale) |



SAFETY DATA SHEET According to Regulation (EC) No.1272/2008 and 2020/878/(CLP) MITREAPEL CYANOACRYLATE ADHESIVE Release date: 4/19/2022 Revision Date/No: 3/17/2023 / *Rev.1* 

MSDS No: SDS-067

## **SECTION 12. ECOLOGICAL INFORMATION**

#### **General Ecological Information:**

The material is not biodegradable so, do not allow spreading soil, waterways or waste water canal.

## 12.1. Toxicity

| EC No.    | CAS No.   | Component             | Toxicity                          |
|-----------|-----------|-----------------------|-----------------------------------|
| 230-391-5 | 7085-85-0 | Ethyl-2-Cyanoacrylate | LC50 (rat) : >5000 mg/kg (inhale) |

#### 12.2. Persistence and degradability

| EC No.    | CAS No.   | Component             | Biodegradable |
|-----------|-----------|-----------------------|---------------|
| 230-391-5 | 7085-85-0 | Ethyl-2-Cyanoacrylate | - (% 57)      |

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

Based on current knowledge, the mixture does not include greater than 0,1% the ratio of PBT or vPvB substances.

#### 12.6. Other adverse effects

No data available.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

If it is possible, try to reuse the mixture. In consultation with the responsible local authority, must be subjected to special treatment. Disposal of the products must be made according to official regulations.

#### Waste code

According to the directive 2008/98/EC on waste management and the local regulation (02.04.2015 dated-No.29314) the waste code is:

08 04 09: waste adhesives and sealants containing organic solvents or other dangerous

## **SECTION 14. TRANSPORT INFORMATION**

## 14.1. UN Number

Not hazardous according to RID, ADR, ADNR, IMDG.



Release date: 4/19/2022 Revision Date/No: 3/17/2023 / Revision Date/No: 3/17/2022 / Revision Date/No: 3/17/2023 / Revision Date/No: 3/17/2023 / Revision Date/No: 3/17/2022 / Revision Date/No: 3/17/2023 / Revision Date/No: 3/17/2022 / Revision Date/No: 3/17/2022 / Revision Date/No: 3/17/2022 / Revision Date/No: 3/17/2022 / Revision Date/No: 3/17/2023 / Revision Date/No: 3/17/2023 / Revision Date/No: 3/17/2023 / Revision Date/No: 3/17/2022 / Revision Dat

MSDS No: SDS-067

## MITREAPEL CYANOACRYLATE ADHESIVE

IATA-DGR :UN 3334

## 14.2. UN Proper Shipping Name

Not hazardous according to RID, ADR, ADNR, IMDG.

IATA-DGR : Aviation regulated liquid, n.o.s (Cyanoacrylate ester)

## 14.3. Transport Hazard Class(es)

Not hazardous according to RID, ADR, ADNR, IMDG,

IATA-DGR :9

## 14.4. Packaging Group

Not hazardous according to RID, ADR, ADNR, IMDG.

IATA-DGR :III

## 14.5. Environmental Hazards

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

## 14.6. Special Precautions For User

Not hazardous according to RID, ADR, ADNR, IMDG.

IATA-DGR :Primary packs containing less than 500ml are unregulated by this mode of transport and may be shipped unrestricted.

## 14.7. Transport In Bulk According to Annex II of Marpol and The IBC Code

Not applicable.

## **SECTION 15. REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

According to Regulation (EC) No.1272/2008 and 2020/878/(CLP) directive on health and safety precautions while working with chemicals (2009/161/EU) and Directive on Carcinogens or mutagens at work (2004/37/EC) there are no limitations on the products and materials.

#### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

## **SECTION 16. OTHER INFORMATION**

This document was prepared according to December 13, 2014 dated and 29204 numbered regulations regarding 1272/2008/EC guideline.



Release date: 4/19/2022

Revision Date/No: 3/17/2023 / Rev.1

MSDS No: SDS-067

# MITREAPEL CYANOACRYLATE ADHESIVE

| H319      | Causes serious eye irritation.  |
|-----------|---|
| H335      | May cause respiratory irritation.   |
| H315      | Causes skin irritation.   |
| P 261     | Avoid breathing dust/fume/gas/mist/vapours/spray.   |
| P280      | Wear protective gloves/ clothing/eye protection/face protection.                          |
| P302+P352 | IF ON SKIN: Wash with plenty of soap and water.   |
| P332+P313 | If skin irritation occurs: Get medical advice/attention.                                  |
| P337+P313 | If eye irritation persists: Get medical advice/attention.                                 |
| P405      | Store locked up.  |
| P501      | Dispose of contents/container to  |
| EUH202    | Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. |

## Chemical Assesment No: Chemical Assesment Expert-A-0-016

This document is generated for the purpose of distributing health, safety, and environmental data. It is not a specification sheet nor should any displayed data be construed as a specification. The information on this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use or disposal of this product. It the product is used as a component in another product, this MSDS information may not be applicable